

Załącznik nr 1

Przykładowe karty kwestionariuszy do badania rynku
oraz do badania cen

<Index>

Poland

SPD code: E.01.1.1.3.10

SPD title: Analogue/digital combi oscilloscopes

Group Leader question(s):	
Other remarks from the Group Leader:	
Country answer(s):	
Other remarks from the country:	

present item proposals	Enter here any suggestions for new values for parameters	Group leader question(s)	Other remarks from the Group Leader	Country answer(s)	Other remarks from the country
------------------------	--	--------------------------	-------------------------------------	-------------------	--------------------------------

E.01.1.1.3.10.a Analogue/digital combi oscilloscope / Hameg / HMO-1522

Available - (Y)es, (N)o :
Important - (Y)es, (N)o, (U)ndefined :

Picture:	YES
Make (and nationality):	Hameg (Germany)
Model:	HMO-1522
Specifications:	Metric Imperial
CombiScope:	yes yes
digital/analogue:	yes yes
Bench/laboratory type:	2 (logic: 8)
Number of channels:	150 Mhz 150 Mhz
Bandwidth:	< 2.4 n.s. < 2.4 n.s.
Rise time:	1mV to 10V per division 1mV to 10V per division
Accuracy (two ranges):	1 m. ohm 1 m. ohm
Input impedance:	max 100 V DC max. 100 V DC
Input voltage:	100 - 240 V AC 100 - 240 V AC
Line voltage:	285x175x140 mm. 11.2 x 6.9 x 5.5 ins
Dimensions (HxWxD):	
Weight:	< 2.5 kgs < 5.5 lbs
Type of price information:	
Price from the Internet:	

Pre - Survey Questionnaire for Survey: Equipment Goods (2015) - SPD: E.01.1.1.3.10 - Analogue/digital combi oscilloscopes

Company website: Terms and conditions: Order quantity: Unit price: Currency: Installation costs: Delivery costs: Discount: Non-deductible taxes: SPECIFY:	www.hameg.com Metric <input type="checkbox"/> Imperial one <input type="checkbox"/> one one <input type="checkbox"/> one specify <input type="checkbox"/> specify no <input type="checkbox"/> no yes <input type="checkbox"/> yes yes (%) <input type="checkbox"/> yes (%) yes <input type="checkbox"/> yes Type of price information Price from the Internet				
---	--	--	--	--	--

E.01.1.1.3.10.b Analogue/digital combi oscilloscope / Hameg / HMO-1022

Available - (Y)es, (N)o, (U)ndefined :

Important - (Y)es, (N)o, (U)ndefined :

Picture: Make (and nationality): Model: Specifications: Bench/laboratory type: Number of channels: Bandwidth: Rise time: Input voltage: Save/recall memories: Dimensions (HxWxD): Weight: Type of price information: Price from the Internet: Company website: Terms and conditions: Order quantity: Unit price: Currency: Installation costs: Delivery costs: Discount: Non-deductible taxes: SPECIFY:	YES Hameg (Germany) HMO1022 Metric <input type="checkbox"/> Imperial yes <input type="checkbox"/> yes 2 <input type="checkbox"/> 2 100 mhz <input type="checkbox"/> 100 mhz < 3.5 ns <input type="checkbox"/> < 3.5 ns 100 V DC <input type="checkbox"/> 100 V DC yes <input type="checkbox"/> yes 285x175x140 mm <input type="checkbox"/> 11.2 x 6.9 x 5.5 in <2.5 kg <input type="checkbox"/> <5.5 lbs www.hameg.com Metric <input type="checkbox"/> Imperial one <input type="checkbox"/> one one <input type="checkbox"/> one specify <input type="checkbox"/> specify no <input type="checkbox"/> no yes <input type="checkbox"/> yes yes (%) <input type="checkbox"/> yes (%) yes <input type="checkbox"/> yes Type of price information Price from the Internet				
--	---	--	--	--	--

Please use this form for new item proposals under this SPD:

Name:

Pre - Survey Questionnaire for Survey: Equipment Goods (2015) - SPD: E.01.1.1.3.10 - Analogue/digital combi oscilloscopes

Make (and nationality)	
Model	
Specifications	
CombiScope: digital/analogue	
Bench/laboratory type	
Number of channels	
Bandwidth	
Bandwidth X amplifier	
Rise time	
overshooting	
Accuracy (two ranges)	
Input impedance	
Input voltage	
Line voltage	
Save/recall memories	
Maximum rated input voltage	
Probe identification	
Double time base	
Incl. flex, 4 keys 10:1 with attenuation 1D, Windows software for control and data transfer	
Dimensions (HxWxD)	
Weight	
Y delay capacity	
Type of price information	
Price from the Internet	
Included in ICP core list	
Company website	
Terms and conditions	
Order quantity	
Unit price	
Currency	
Installation costs	
Delivery costs	
Discount	
Non-deductible taxes	

EQUIPMENT GOODS SURVEY 2015		Country
E.01.1.1.3.16.b DC dental X ray unit		PL
Product	Proposed	Priced
Make (and nationality):	Gendex (USA/Italy)	
Model:	Expert DC	

Specifications		Metric	Imperial	National
1	Wall mounted	yes	yes	
2	Focal spot Std. IEC 336	0.4 (IEC 336/1993)	0.4 (IEC 336/1993)	
3	Exposure time range	0.02 - 2 sec. (21 settings)	0.02 - 2 sec. (21 settings)	
4	Duty cycle	1:30	1:30	
5	Anode current	7 mA	7 mA	
6	Anode voltage	65 kV true DC	65 kV true DC	
7	Focus to skin distance	20 cm.	7.9 in	
8	Inherent filtration	2 mm. Al equivalent	0.078 in. Al equivalent	
9	X-ray field round/rectangular	60 mm/35x45 mm	2.4/1.4x1.8 in	
10	Useful reach	165 cm.	65 in.	
11	Power supply: voltage/frequency	110/230V/60/50 Hz	110/230V/60/50 Hz	
12	Company website	www.gendex.com	www.gendex.com	
13				
14				
15				
16				
17				
18				
19	Type of price information	(1-4)	(1-4)	
20	Price from the Internet	yes/no	yes/no	

Terms and conditions				
a	Order quantity	one	one	
b	Currency	specify	specify	PLN
c	Unit price	one	one	
d	Installation costs	yes	yes	
e	Delivery costs	yes	yes	
f	Discount	yes (%)	yes (%)	
g	Non-deductible taxes	yes	yes	
Total unit price net of deductible taxes and discount				

Representativity and comparability				
Is the product/item priced representative (yes) or unrepresentative (no)?				
Are the product/item priced and the product/item specified identical (1) or equivalent (2)?				

Options (please use this area for your comments)

Notes (from Planco; the content of this area is not transferred into the Validation Tool)

This item was found in many countries.

EQUIPMENT GOODS SURVEY 2015	NEW ITEM	Country
E.01.1.1.5.35.a Tower crane		PL
Product	Proposed	Priced
Make (and nationality):	Potain (France)	
Model:	IGO32	

Specifications	Metric	Imperial	National
1	Height under hook horizontal	20.8 m	68 ft
2	Maximum radius	30 m	98 ft
3	Maximum load at 26 m.	1100 kgs (at 30 m)	2420 lbs (at 30 m)
4	Maximum load at 23 m.	1510 kg	3351 lbs
5	Hoisting mechanism	15 LVF 10 Optima	15 LVF 10 Optima
6	Slewing mechanism	RVF 31 Optim+	RVF 31 Optim+
7	Trolley mechanism: double hook	3DVF5	3DVF5
8	Master controller 1 part - 25 m. cable	yes	yes
9	With lateral base ballast	yes	yes
10	Hydraulic self-erecting with remote control	yes	yes
11	Two tow axles	yes	yes
12	Total weight	9800 kgs	21605 lbs
13	Company website	www.manitowoccranes.com	www.manitowoccranes.com
14			
15			
16			
17			
18			
19	Type of price information	(1-4)	(1-4)
20	Price from the Internet	yes/no	yes/no

Terms and conditions			
a	Order quantity	one	one
b	Currency	specify	specify
c	Unit price	one	one
d	Installation costs	no	no
e	Delivery costs	yes	yes
f	Discount	yes (%)	yes (%)
g	Non-deductible taxes	yes	yes
Total unit price net of deductible taxes and discount			

Representativity and comparability			
Is the product/item priced representative (yes) or unrepresentative (no)?			
Are the product/item priced and the product/item specified identical (1) or equivalent (2)?			

Options (please use this area for your comments)

Notes (from Planco; the content of this area is not transferred into the Validation Tool)

This item replaces the "IGO26". It was found in many countries.

EQUIPMENT GOODS SURVEY 2015		Country
E.01.1.1.4.09.b Three phase ground mounted transformer		PL
Product	Proposed	Priced
Make (and nationality):	Siemens (Germany)	
Model:	4HB 6067-3BA05 (1MVA)	

Specifications		Metric	Imperial	National
1	Oil filled sealed type	yes	yes	
2	Output capacity	1000 KVA	1000 KVA	
3	H. V. line volts	22 KV	20 KV	
4	L. V. line volts	400 V	400 V	
5	Load loss	10.5 kw	10.5 kw	
6	No load loss	2.27 kw	2.27 kw	
7	Terminals: HV/LV bushings	external	External	
8	HV/LV winding connections	Delta/Star	Delta/Star	
9	Standard	IEC 60076	IEC 60076	
10	Weight with oil	2340 kg	5148 lb	
11	Company website	www.siemens.com	www.siemens.com	
12				
13				
14				
15				
16				
17				
18				
19	Type of price information	(1-4)	(1-4)	
20	Price from the Internet	yes/no	yes/no	

Terms and conditions				
a	Order quantity	one	one	
b	Currency	specify	specify	PLN
c	Unit price	one	one	
d	Installation costs	no	no	
e	Delivery costs	yes	yes	
f	Discount	yes (%)	yes (%)	
g	Non-deductible taxes	yes	yes	
Total unit price net of deductible taxes and discount				

Representativity and comparability				
Is the product/item priced representative (yes) or unrepresentative (no)?				
Are the product/item priced and the product/item specified identical (1) or equivalent (2)?				

Options (please use this area for your comments)

Notes (from Planco; the content of this area is not transferred into the Validation Tool)

This item was found in many countries.
Please look for the copper coil version (not the aluminum version).